Recycled Content Biodegradable*

Panel | Acoustic

Purpose 1302

Purpose 1302

Specifications

Content	100% post-consumer recycled biodegradable* polyester
Weight	14.1 ± 1.0 oz./lin. yd
Width	67" min. useable
Repeat	none

Cleaning Code

Standard Care Label W-S. Clean with water based cleaning agents, foam or pure, water free solvents. Vacuuming or light brushing is recommended to prevent dust and soil buildup. May also be disinfected with hydrogen peroxide, alcohol, and quaternary ammonium (quat) based cleaners.

Miscellaneous

- · Application testing of this product is recommended.
- Colors may vary between dye lots.
 This is a directional fabric.

Preselle server in North America comparti

Proudly woven in North America supporting our local communities.

Sustainability

BIODEGRADABLE* CLEAN IMPACT TEXTILES[®] address the daunting problem of how to deal with polyester fabric at the end of its useful life.

Biodegradable* in landfill after 1,278 days (tested under ASTM D5511)

*Rate and extent of biodegradation into elements found in nature is 91% after 1,278 days under ASTM D5511 (Anaerobic Biodegradation of Plastic Materials Under High Solids Anaerobic Digestion Conditions). The test was done with the same component (PET) polyester and biocatalyst additive. No evidence of further degradation.

		Wish 1184	Intend 1185
Hope	Strive	Mission	Ambition
1183	1189	1190	1186
ldea	Target	Direction	Objective
1182	1188	1191	1193
Plan	Desire	Focus	Reason
1181	1187	1192	1194





CLEAN IMPACT TEXTILES

Performance



Colorfastness to light (AATCC 16.3 Option 3) Grade 4 min. at 40 hours



Colorfastness to crocking (AATCC 8) Grade 4 min. dry & Grade 3 min. wet Breaking Strength (ASTM D5034)

 Image: Strength (AS I M USU 34)

 205 lbf min. warp and 215 lbf min. fill



Flammability ASTM E84 Class I or A

Acoustical Performance

Our acoustic fabrics are all acoustically transparent. This represents the amount of sound that passes through the fabric.

Acoustic Transparency:

95%

For more detailed results, please consult our website.



This pattern is included in the underwriters laboratory panel fabric recognition program. Additional testing of this U.L. recognized fabric is not required on approved panels from participating manufacturers.

*Certification Marks owned by the Association for Contract Textiles, Inc.